




A FASSI GROUP COMPANY

Range - Technical information

AMPLIROLL®

AMPLIROLL®

AMPLIROLL® URBAN

AL3PA	P. 4 - 5
AL4	P. 6 - 7
AL5	P. 8 - 9

AMPLIROLL® FLEX

AL6	P.10 -11
AL8	P.12-13
AL10	P.14-15
AL12	P.16-17

AMPLIROLL® HIGH



AL14	P.18-19
AL14PA	P.20-21
AL16	P.22-23
AL16PA	P.24-25
AL18	P.26-27
AL18PA	P.28-29
AL20	P.30-31
AL20PA	P.32-33
AL22	P.34-35
AL22PA	P.36-37
AL24	P.38-39
AL24PA	P.40-41
AL26	P.42-43
AL26PA	P.44-45

TABLE LEGEND :

Inside length of the bodies (mm)		LG
Tipping angle (°)		A
Dist. hook to rear rollers (mm)		L1
Telescopic Jib stroke (mm)		L2
Telescopic and articulated Jib stroke (mm)		L3
Installation height (mm)		H
Equipment net weight (Kg)		Kg
Operating pressure		Bar

Subject to technical changes, non-contractual data.

AMPLIROLL® HIGH



AL18LP	P.46-47
AL18LP-PA	P.48-49
AL20LP	P.50-51
AL20LP-PA	P.52-53
AL22LP	P.54-55
AL22LP-PA	P.56-57
AL24LP	P.58-59
AL24LP-PA	P.60-61

AMPLIROLL® HIGH

ALBA20	P.62-63
ALBA20PA	P.64-65

AL3PA

LIFTING CAPACITY 3T



For GVW up to 5.5 T		A26	A28	A30
	LG	2 800	3 000	3 200
	A	50	50	50
	L1	2 600	2 800	3 000
	L2	685	850	850
	H	130	130	130
	Kg	370	380	380
	Bar	275	280	290




Table legend on page 2

AMPLIROLL® URBAN

AL4

LIFTING CAPACITY 4T



For GVW up to 7.5 T			A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36
	Mini	LG	2 300	2 300	2 300	2 600	2 600	2 600	2 600	2 900	2 900	2 900	2 900
	Maxi		3 100	3 400	3 600	3 800	3 900	4 000	4 100	4 200	4 300	4 400	4 500
	Fixed RUP		2 800	2 900	3 000	3 100	3 200	3 300	3 400	3 500	3 600	3 700	3 800
		A	56	56	56	56	56	56	56	53	53	53	53
		L1	2 550	2 650	2 750	2 850	2 950	3 050	3 150	3 250	3 350	3 450	3 550
		L2	550	650	750	550	650	750	850	650	750	850	950
		H	160	160	160	160	160	160	160	160	160	160	160
		Kg	605	615	625	635	645	655	665	675	685	695	705
		Bar	280	280	280	300	300	300	300	315	315	315	315





Table legend on page 2



AMPLIROLL® URBAN

ALS

LIFTING CAPACITY 5T



For GVW 7.5 to 10 T		A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36	A37	A38	A39	A40	
	Mini	2 300	2 300	2 300	2 600	2 600	2 600	2 600	2 900	2 900	2 900	2 900	3 300	3 300	3 300	3 300	
	Maxi	LG	3 100	3 400	3 600	3 800	3 900	4 000	4 100	4 200	4 300	4 400	4 500	4 600	4 700	4 800	4 900
	Fixed RUP		2 800	2 900	3 000	3 100	3 200	3 300	3400	3 500	3 600	3 700	3 800	3 900	4 000	4 100	4 200
	A	56	56	56	56	56	56	56	53	53	53	53	51	51	51	51	
	L1	2 550	2 650	2 750	2 850	2 950	3 050	3 150	3 250	3 350	3 450	3 550	3 650	3 750	3 850	3 950	
	L2	550	650	750	550	650	750	850	650	750	850	950	650	750	850	950	
	H	160	160	160	160	160	160	160	160	160	160	160	160	160	160	160	
	Kg	625	635	645	655	665	675	685	695	705	715	725	735	745	755	765	
	Bar	275	275	275	290	290	290	290	310	310	310	330	340	340	340	340	





Table legend on page 2

AMPLIROLL® FLEX

AL6

LIFTING CAPACITY 6T



For GVW 7.5 to 10 T			A29	A32	A33	A34
	Mini	LG	2 700	3 000	3 000	3 000
	Maxi		3 800	4 100	4 200	4 300
	Fixed RUP		3 200	3 500	3 600	3 700
		A	58	61	61	61
		L1	2 900	3 210	3 310	3 410
		L2	630	585	685	775
		H	180	180	180	180
		Kg	700	750	750	750
		Bar	310	340	340	340




Table legend on page 2



AMPLIROLL® FLEX

AL8

LIFTING CAPACITY 8T



For GVW 9 to 15 T			A34	A35	A36	A37	A38	A39	A40	A41
	Mini		3 300	3 300	3 300	3 300	3 300	3 500	3 500	3 500
	Maxi	LG	4 400	4 500	4 600	4 800	5 000	5 100	5 200	5 300
	Fixed RUP		3 900	4 000	4 100	4 200	4 300	4 400	4 500	4 600
		A	54	54	54	54	54	54	54	54
		L1	3 445	3 545	3 645	3 745	3 845	3 945	4 045	4 145
		L2	530	630	730	830	930	830	930	1 030
		H	165	165	165	165	165	165	165	165
		Kg	1 000	1 000	1 000	1 000	1 030	1 080	1 080	1 080
		Bar	350	350	350	350	350	350	350	350




Table legend on page 2



AMPLIROLL® FLEX
AL10

LIFTING CAPACITY 10T



For GVW 9 to 15 T			A34	A35	A36	A37	A38	A39	A40	A41
	Mini		3 300	3 300	3 300	3 300	3 300	3 500	3 500	3 500
	Maxi	LG	4 400	4 500	4 600	4 800	5 000	5 100	5 200	5 300
	Fixed RUP		3 900	4 000	4 100	4 200	4 300	4 400	4 500	4 600
		A	54	54	54	54	54	54	54	54
		L1	3 445	3 545	3 645	3 745	3 845	3 945	4 045	4 145
		L2	530	630	730	830	930	830	930	1 030
		H	165	165	165	165	165	165	165	165
		Kg	1 020	1 020	1 020	1 020	1 050	1 100	1 100	1 100
		Bar	350	350	350	350	350	350	350	350




Table legend on page 2


AMPLIROLL® FLEX

AL12

LIFTING CAPACITY 12T



For GVW from 12 T			A37	A38	A39	A40	A41	A42	A43	A44	A45	A46
	Mini	LG	3 500	3 500	3 500	3 700	3 700	3 700	3 900	3 900	3 900	3 900
	Maxi		4 800	4 900	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800
	Fixed RUP		4 100	4 200	4 300	4 400	4 500	4 600	4 700	4 800	4 900	5 000
	A	A	52	52	52	48	48	48	44	44	44	44
	L1	L1	3 650	3 750	3 850	3 950	4 050	4 150	4 250	4 350	4 450	4 550
	L2	L2	500	600	700	600	700	800	700	800	900	1 000
	H	H	195	195	195	195	195	195	195	195	195	195
	Kg	Kg	1 200	1 200	1 200	1 220	1 220	1 220	1 250	1 250	1 250	1 250
	Bar	Bar	350	350	350	350	350	350	350	350	350	350



AMPLIROLL® HIGH

AL14

LIFTING CAPACITY 14T



AMPLI'DRIVE PACKS

START

OPTI

PRO



For GVW 15 to 19T			S40	S41	S42	S43	S44	S45	S46	S47	S48	S49	S50	S51	S52
	Mini	LG	3 700	3 700	3 700	3 700	4 000	3 700	4 000	4 000	4 000	4 000	4 100	4 300	4 300
	Maxi		5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300
	Fixed RUP		4 500	4 600	4 700	4 800	4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700
	A		52	52	52	52	58	52	58	58	58	58	58	58	58
	L1		4 000	4 100	4 200	4 300	4 400	4 500	4 600	4 700	4 800	4 900	5 000	5 100	5 200
	L2		630	730	830	930	730	1 130	930	1 030	1 130	1 230	1 230	1 130	1 230
	H		255	255	255	255	255	255	255	255	255	255	255	255	255
	Kg		1 650	1 650	1 675	1 675	1 700	1 700	1 725	1 750	1 750	1 750	1 750	1 950	1 950
	Bar		270	270	270	270	295	270	295	295	295	295	310	300	300

For GVW 15 to 19T			S53	S54	S55	S56	S57	S58
	Mini	LG	4 400	4 600	4 600	4 600	4 600	4 600
	Maxi		6 400	6 500	6 700	6 800	6 900	7 000
	Fixed RUP		5 800	5 900	6 000	6 100	6 200	6 300
	A		58	58	58	58	58	58
	L1		5 300	5 400	5 500	5 600	5 700	5 800
	L2		1 230	1 130	1 230	1 330	1 430	1 530
	H		255	255	255	255	255	255
	Kg		1 950	2 075	2 090	2 095	2 095	2 100
	Bar		300	320	320	320	320	320




Table legend on page 2



AMPLIROLL® HIGH AL14PA

LIFTING CAPACITY 14T

AMPLI'DRIVE PACKS


START

OPTI

PRO



For GVW 15 to 19 T			S44	S45	S46	S47	S48	S49	S50	S51	S52	S53	S54	S55	S56	S57	S58
	Mini		3 200	3 200	3 200	3 200	3 200	3 200	3 500	3 500	3 500	3 800	3 800	3 800	3 800	3 800	3 900
	Maxi	LG	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300	6 400	6 500	6 700	6 800	6 900	7 000
	Fixed RUP		4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300
		A	58	52	58	58	58	58	58	58	58	58	58	58	58	58	58
		L1	4 400	4 500	4 600	4 700	4 800	4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800
		L2	400	500	600	700	800	900	700	800	900	700	800	900	1 000	1 100	1 100
		L3	1 520	1 620	1 720	1 820	1 920	2 020	1 820	1 920	2 020	1 820	1 920	2 020	2 120	2 220	2 220
		H	255	255	255	255	255	255	255	255	255	255	255	255	255	255	255
		Kg	1 900	1 900	1 925	1 925	1 950	1 975	1 975	1 975	2 115	2 135	2 175	2 245	2 245	2 250	2 255
		Bar	295	270	295	295	295	295	310	300	300	300	320	320	320	320	320



AMPLIROLL® HIGH
AL16

LIFTING CAPACITY 16T



AMPLI'DRIVE PACKS



START



OPTI



PRO

S

GENERATION

For GVW 15 to 26 T			S40	S41	S42	S43	S44	S45	S46	S47	S48	S49	S50	S51	S52
	Mini		3 700	3 700	3 700	3 700	4 000	3 700	4 000	4 000	4 000	4 000	4 100	4 300	4 300
	Maxi	LG	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300
	Fixed RUP		4 500	4 600	4 700	4 800	4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700
		A	52	52	52	52	58	52	58	58	58	58	58	58	58
		L1	4 000	4 100	4 200	4 300	4 400	4 500	4 600	4 700	4 800	4 900	5 000	5 100	5 200
		L2	630	730	830	930	730	1 130	930	1 030	1 130	1 230	1 230	1 130	1 230
		H	255	255	255	255	255	255	255	255	255	255	255	255	255
		Kg	1 650	1 650	1 675	1 675	1 700	1 700	1 725	1 750	1 750	1 750	1 750	1 950	1 950
		Bar	290	290	290	290	315	290	315	315	315	315	325	325	325

For GVW 15 to 26 T			S53	S54	S55	S56	S57	S58
	Mini		4 400	4 600	4 600	4 600	4 600	4 600
	Maxi	LG	6 400	6 500	6 700	6 800	6 900	7 000
	Fixed RUP		5 800	5 900	6 000	6 100	6 200	6 300
		A	58	58	58	58	58	58
		L1	5 300	5 400	5 500	5 600	5 700	5 800
		L2	1 230	1 130	1 230	1 330	1 430	1 530
		H	255	255	255	255	255	255
		Kg	1 950	2 075	2 090	2 095	2 095	2 100
		Bar	325	340	340	340	340	340




Table legend on page 2



AMPLIROLL® HIGH

AL16PA

LIFTING CAPACITY 16T



AMPLI'DRIVE PACKS



START



OPTI




PRO

S

GENERATION

For GVW 15 to 26 T			S44	S45	S46	S47	S48	S49	S50	S51	S52	S53	S54	S55	S56	S57	S58
	Mini		3 200	3 200	3 200	3 200	3 200	3 200	3 500	3 500	3 500	3 800	3 800	3 800	3 800	3 800	3 900
	Maxi	LG	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300	6 400	6 500	6 700	6 800	6 900	7 000
	Fixed RUP		4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300
		A	58	52	58	58	58	58	58	58	58	58	58	58	58	58	58
		L1	4 400	4 500	4 600	4 700	4 800	4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800
		L2	400	500	600	700	800	900	700	800	900	700	800	900	1 000	1 100	1 100
		L3	1 520	1 620	1 720	1 820	1 920	2 020	1 820	1 920	2 020	1 820	1 920	2 020	2 120	2 220	2 220
		H	255	255	255	255	255	255	255	255	255	255	255	255	255	255	255
		Kg	1 900	1 900	1 925	1 925	1 950	1 975	1 975	1 975	2 115	2 135	2 175	2 245	2 245	2 250	2 255
		Bar	330	300	330	330	330	330	330	330	330	330	350	350	350	350	350



AMPLIROLL® HIGH
AL18

LIFTING CAPACITY 18T

AMPLI^{DRIVE} PACKS



START




OPTI



PRO

26-27



S
GENERATION

For GVW 26 T			S40	S41	S42	S43	S44	S45	S46	S47	S48	S49	S50	S51	S52
	Mini		3 700	3 700	3 700	3 700	4 000	3 700	4 000	4 000	4 000	4 000	4 100	4 300	4 300
	Maxi	LG	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300
	Fixed RUP		4 500	4 600	4 700	4 800	4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700
		A	52	52	52	52	58	52	58	58	58	58	58	58	58
		L1	4 000	4 100	4 200	4 300	4 400	4 500	4 600	4 700	4 800	4 900	5 000	5 100	5 200
		L2	630	730	830	930	730	1 130	930	1 030	1 130	1 230	1 230	1 130	1 230
		H	255	255	255	255	255	255	255	255	255	255	255	255	255
		Kg	1 890	1 900	1 900	1 900	1 940	1 910	1 940	1 960	1 960	1 970	1 970	2 100	2 100
		Bar	310	310	310	310	335	310	340	340	340	340	340	340	340

For GVW 26 T			S53	S54	S55	S56	S57	S58
	Mini		4 400	4 600	4 600	4 600	4 600	4 600
	Maxi	LG	6 400	6 500	6 700	6 800	6 900	7 000
	Fixed RUP		5 800	5 900	6 000	6 100	6 200	6 300
		A	58	58	58	58	58	58
		L1	5 300	5 400	5 500	5 600	5 700	5 800
		L2	1 230	1 130	1 230	1 330	1 430	1 530
		H	255	255	255	255	255	255
		Kg	2 110	2 120	2 140	2 140	2 140	2 150
		Bar	340	350	350	350	350	350




Table legend on page 2

AMPLIROLL® HIGH
Telescopic jib

AMPLIROLL® HIGH

AL18PA

LIFTING CAPACITY 18T



AMPLI'DRIVE PACKS

START

OPTI

PRO



For GVW 26 T			S44	S45	S46	S47	S48	S49	S50	S51	S52	S53	S54	S55	S56	S57	S58
	Mini		3 200	3 200	3 200	3 200	3 200	3 500	3 500	3 800	3 800	3 800	3 800	3 800	3 800	3 800	3 900
	Maxi	LG	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300	6 400	6 500	6 700	6 800	6 900	7 000
	Fixed RUP		4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300
	A		58	52	58	58	58	58	58	58	58	58	58	58	58	58	58
	L1		4 400	4 500	4 600	4 700	4 800	4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800
	L2		400	500	600	700	800	600	700	500	600	700	800	900	1 000	1 100	1 100
	L3		1 520	1 620	17 20	1 820	1 920	1 720	1 820	1 620	1 720	1 820	1 920	2 020	2 120	2 220	2 220
	H		255	255	255	255	255	255	255	255	255	255	255	255	255	255	255
	Kg		2 100	1 720	2 105	2 105	2 110	2 130	2 135	2 270	2 270	2 275	2 290	2 285	2 285	2 290	2 300
	Bar		335	310	340	340	340	340	340	340	340	340	350	350	350	350	350




Table legend on page 2

AMPLIROLL® HIGH

AL20

LIFTING CAPACITY 20T

AMPLI'DRIVE PACKS



START



OPTI



PRO

30-31



MARREL
MANUFACTURED
CYLINDERS

INTEGRATED
SAFETY TO PREVENT
MISUSE

HIGH TENSILE
STEEL

A WIDE RANGE OF
CONTROLS AVAILABLE
(AMPLI'DRIVE PACKS)



S

GENERATION

For GVW 26 T			S44	S45	S46	S47	S48	S49	S50	S51	S52	S53	S54	S55	S56	S57	S58	S59	S60
	Mini		3 800	3 800	3 800	3 800	4 100	4 100	4 100	4 100	4 400	4 400	4 400	4 600	4 600	4 600	4 800	4 800	4 800
	Maxi	LG	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300	6 400	6 500	6 600	6 800	6 900	7 000	7 100	7 200
	Fixed RUP		4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300	6 400	6 500
		A	56	56	56	56	59	59	59	59	58	58	58	58	58	58	58	58	58
		L1	4 400	4 500	4 600	4 700	4 800	4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000
		L2	930	1 030	1 130	1 230	1 030	1 130	1 230	1 330	1 130	1 230	1 330	1 230	1 330	1 430	1 330	1 430	1 530
		H	255	255	255	255	255	255	255	255	255	255	255	255	255	255	255	255	255
		Kg	2 100	2 110	2 110	2 110	2 150	2 170	2 170	2 170	2 290	2 300	2 300	2 310	2 320	2 330	2 340	2 350	2 350
		Bar	270	270	270	270	295	295	295	295	295	295	295	310	310	310	330	330	330

For GVW 26 T			SL61	SL62	SL63	SL64	SL65	SL66	SL67	SL68
	Mini		5 200	5 200	5 200	5 600	5 600	5 600	5 600	5 600
	Maxi	LG	7 300	7 400	7 500	7 600	7 700	7 800	7 900	8 000
	Fixed RUP		6 600	6 700	6 800	6 900	7 000	7 100	7 200	7 300
		A	53	53	53	52	52	52	52	52
		L1	6 100	6 200	6 300	6 400	6 500	6 600	6 700	6 800
		L2	1 280	1 380	1 480	1 130	1 230	1 330	1 430	1 530
		H	275	275	275	275	275	275	275	275
		Kg	2 565	2 595	2 625	2 655	2 685	2 715	2 745	2 775
		Bar	320	320	320	310	310	310	310	310




Table legend on page 2

AMPLIROLL® HIGH
Telescopic jib

AMPLIROLL® HIGH

AL20PA

LIFTING CAPACITY 20T

AMPLI'DRIVE PACKS



START




OPTI



PRO

32-33



S
GENERATION

For GVW 26 to 32 T			S48	S49	S50	S51	S52	S53	S54	S55	S56	S57	S58	S59	S60
	Mini		3 300	3 300	3 300	3 300	3 600	3 600	3 600	3 900	3 900	3 900	3 900	3 900	4 100
	Maxi	LG	5 900	6 000	6 100	6 200	6 300	6 400	6 500	6 600	6 800	6 900	7 000	7 100	7 200
	Fixed RUP		5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300	6 400	6 500
		A	59	59	59	59	58	58	58	58	58	58	58	58	58
		L1	4 800	4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000
		L2	700	800	900	1 000	800	900	1 000	800	900	1 000	1 100	1 200	1 100
		L3	1 870	1 970	2 070	2 170	1 970	2 070	2 170	1 970	2 070	2 170	2 270	2 370	2 270
		H	255	255	255	255	255	255	255	255	255	255	255	255	255
		Kg	2 330	2 335	2 335	2 340	2 460	2 460	2 465	2 485	2 510	2 515	2 515	2 520	2 535
		Bar	295	295	295	295	295	295	295	310	310	310	330	330	330

For GVW 26 to 32 T			SL61	SL62	SL63	SL64	SL65	SL66	SL67	SL68
	Mini		4 600	4 600	4 600	5 000	5 000	5 000	5 000	5 000
	Maxi	LG	7 300	7 400	7 500	7 600	7 700	7 800	7 900	8 000
	Fixed RUP		6 600	6 700	6 800	6 900	7 000	7 100	7 200	7 300
		A	53	53	53	52	52	52	52	52
		L1	6 100	6 200	6 300	6 400	6 500	6 600	6 700	6 800
		L2	850	950	1 050	700	800	900	1 000	1 100
		L3	1 850	1 950	2 050	1 700	1 800	1 900	2 000	2 100
		H	275	275	275	275	275	275	275	275
		Kg	2 755	2 785	2 815	2 845	2 875	2 905	2 935	2 965
		Bar	350	350	350	350	350	350	350	350




Table legend on page 2

AMPLIROLL® HIGH
Telescopic and articulated jib

AMPLIROLL® HIGH

AL22

LIFTING CAPACITY 22T



AMPLI'DRIVE PACKS



START



OPTI




PRO

S

GENERATION

For GVW from 26 to 32 T			S44	S45	S46	S47	S48	S49	S50	S51	S52	S53	S54	S55	S56	S57	S58	S59	S60
	Mini		3 800	3 800	3 800	3 800	4 100	4 100	4 100	4 100	4 400	4 400	4 400	4 600	4 600	4 600	4 800	4 800	4 800
	Maxi	LG	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300	6 400	6 500	6 600	6 800	6 900	7 000	7 100	7 200
	Fixed RUP		4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300	6 400	6 500
		A	56	56	56	56	59	59	59	59	58	58	58	58	58	58	58	58	58
		L1	4 400	4 500	4 600	4 700	4 800	4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000
		L2	930	1 030	1 130	1 230	1 030	1 130	1 230	1 330	1 130	1 230	1 330	1 230	1 330	1 430	1 330	1 430	1 530
		H	255	255	255	255	255	255	255	255	255	255	255	255	255	255	255	255	255
		Kg	2 100	2 110	2 110	2 110	2 150	2 170	2 170	2 170	2 290	2 300	2 300	2 310	2 320	2 330	2 340	2 350	2 350
		Bar	300	300	300	300	325	325	325	325	325	325	325	340	350	350	350	350	350

For GVW from 26 to 32 T			SL61	SL62	SL63	SL64	SL65	SL66	SL67	SL68
	Mini		5 200	5 200	5 200	5 600	5 600	5 600	5 600	5 600
	Maxi	LG	7 300	7 400	7 500	7 600	7 700	7 800	7 900	8 000
	Fixed RUP		6 600	6 700	6 800	6 900	7 000	7 100	7 200	7 300
		A	53	53	53	52	52	52	52	52
		L1	6 100	6 200	6 300	6 400	6 500	6 600	6 700	6 800
		L2	1 280	1 380	1 480	1 130	1 230	1 330	1 430	1 530
		H	275	275	275	275	275	275	275	275
		Kg	2 565	2 595	2 625	2 655	2 685	2 715	2 745	2 775
		Bar	350	350	350	340	340	340	340	340



AL22PA

LIFTING CAPACITY 22T

AMPLI'DRIVE PACKS


START


OPTI


PRO



For GVW from 26 to 32 T			S48	S49	S50	S51	S52	S53	S54	S55	S56	S57	S58	S59	S60
	Mini	LG	3 300	3 300	3 300	3 300	3 600	3 600	3 600	3 900	3 900	3 900	3 900	3 900	4 100
	Maxi		5 900	6 000	6 100	6 200	6 300	6 400	6 500	6 600	6 800	6 900	7 000	7 100	7 200
	Fixed RUP		5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300	6 400	6 500
		A	59	59	59	59	58	58	58	58	58	58	58	58	58
		L1	4 800	4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000
		L2	700	800	900	1 000	800	900	1 000	800	900	1 000	1 100	1 200	1 100
		L3	1 870	1 970	2 070	2 170	1 970	2 070	2 170	1 970	2 070	2 170	2 270	2 370	2 270
		H	255	255	255	255	255	255	255	255	255	255	255	255	255
		Kg	2 330	2 335	2 335	2 340	2 460	2 460	2 465	2 485	2 510	2 515	2 515	2 520	2 535
		Bar	325	325	325	325	325	325	325	340	350	350	350	350	350

For GVW from 26 to 32 T			SL61	SL62	SL63	SL64	SL65	SL66	SL67	SL68
	Mini	LG	4 600	4 600	4 600	5 000	5 000	5 000	5 000	5 000
	Maxi		7 300	7 400	7 500	7 600	7 700	7 800	7 900	8 000
	Fixed RUP		6 600	6 700	6 800	6 900	7 000	7 100	7 200	7 300
		A	53	53	53	52	52	52	52	52
		L1	6 100	6 200	6 300	6 400	6 500	6 600	6 700	6 800
		L2	850	950	1 050	700	800	900	1 000	1 100
		L3	1 850	1 950	2 050	1 700	1 800	1 900	2 000	2 100
		H	275	275	275	275	275	275	275	275
		Kg	2 755	2 785	2 815	2 845	2 875	2 905	2 935	2 965
		Bar	350	350	350	350	350	350	350	350




Table legend on page 2

AMPLIROLL® HIGH

AL24

LIFTING CAPACITY 24T

AMPLI'DRIVE PACKS

START

OPTI

PRO



For GVW from 26 to 32 T			S49	S50	S51	S52	S53	S54	S55	S56	S57	S58	S59	S60
	Mini		4 300	4 300	4 300	4 300	4 700	4 700	4 700	4 700	4 700	5 200	5 200	5 200
	Maxi	LG	6 000	6 100	6 200	6 300	6 400	6 500	6 600	6 700	6 800	6 900	7 000	7 100
	Fixed RUP		5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300	6 400	6 500
		A	55	55	55	55	53	53	53	53	53	53	53	53
		L1	4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000
		L2	930	1 030	1 130	1 230	930	1 030	1 130	1 230	1 330	980	1 080	1 180
		H	275	275	275	275	275	275	275	275	275	275	275	275
		Kg	2 550	2 560	2 560	2 560	2 600	2 620	2 620	2 620	2 740	2 750	2 750	2 760
		Bar	280	280	280	280	300	300	300	300	300	320	320	320

For GVW from 26 to 32 T			SL61	SL62	SL63	SL64	SL65	SL66	SL67	SL68
	Mini		5 200	5 200	5 200	5 600	5 600	5 600	5 600	5 600
	Maxi	LG	7 300	7 400	7 500	7 600	7 700	7 800	7 900	8 000
	Fixed RUP		6 600	6 700	6 800	6 900	7 000	7 100	7 200	7 300
		A	53	53	53	52	52	52	52	52
		L1	6 100	6 200	6 300	6 400	6 500	6 600	6 700	6 800
		L2	1 280	1 380	1 480	1 130	1 230	1 330	1 430	1 530
		H	275	275	275	275	275	275	275	275
		Kg	2 790	2 820	2 850	2 880	2 910	2 940	2 970	3 000
		Bar	320	320	320	320	320	310	310	310




Table legend on page 2

AMPLIROLL® HIGH

AL24PA

LIFTING CAPACITY 24T

AMPLI'DRIVE PACKS



START



OPTI



PRO

40-41



INTEGRATED SAFETY TO
PREVENT MISUSE

HIGH TENSILE
STEEL

MARREL
MANUFACTURED
CYLINDERS

RANGE OF
CONTROLS
(AMPLI'DRIVE)

S

GENERATION

For GVW from 26 to 32 T			S49	S50	S51	S52	S53	S54	S55	S56	S57	S58	S59	S60
	Mini	LG	3 700	3 700	3 700	3 700	4 100	4 100	4 100	4 100	4 100	4 600	4 600	4 600
	Maxi		6 100	6 200	6 300	6 400	6 500	6 600	6 700	6 800	6 900	7 000	7 100	7 200
	Fixed RUP		5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300	6 400	6 500
	A	A	55	55	55	55	53	53	53	53	53	53	53	53
	L1	L1	4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000
	L2	L2	505	605	705	805	505	605	705	805	905	505	605	705
	L3	L3	1 505	1 605	1 705	1 805	1 505	1 605	1 705	1 805	1 905	1 505	1 605	1 705
	H	H	275	275	275	275	275	275	275	275	275	275	275	275
	Kg	Kg	2 740	2 750	2 750	2 750	2 790	2 810	2 810	2 810	2 930	2 940	2 940	2 950
	Bar	Bar	290	290	290	290	320	320	320	320	320	350	350	350

For GVW from 26 to 32 T			SL61	SL62	SL63	SL64	SL65	SL66	SL67	SL68
	Mini	LG	4 600	4 600	4 600	5 000	5 000	5 000	5 000	5 000
	Maxi		7 300	7 400	7 500	7 600	7 700	7 800	7 900	8 000
	Fixed RUP		6 600	6 700	6 800	6 900	7 000	7 100	7 200	7 300
	A	A	53	53	53	52	52	52	52	52
	L1	L1	6 100	6 200	6 300	6 400	6 500	6 600	6 700	6 800
	L2	L2	805	905	1005	705	805	905	1 005	1 105
	L3	L3	1 805	1 905	2 005	1 705	1 805	1 905	2 005	2 105
	H	H	275	275	275	275	275	275	275	275
	Kg	Kg	2 980	3 010	3 040	3 070	3 100	3 130	3 160	3 190
	Bar	Bar	350	350	350	340	340	340	340	340




Table legend on page 2

AMPLIROLL® HIGH
Telescopic and articulated jib

AMPLIROLL® HIGH

AL26


LIFTING CAPACITY 26T

AMPLI'DRIVE PACKS

START

OPTI

PRO




S

GENERATION

For GVW from 26 to 32 T			S49	S50	S51	S52	S53	S54	S55	S56	S57	S58	S59	S60
	Mini		4 300	4 300	4 300	4 300	4 700	4 700	4 700	4 700	4 700	5 200	5 200	5 200
	Maxi	LG	6 000	6 100	6 200	6 300	6 400	6 500	6 600	6 700	6 800	6 900	7 000	7 100
	Fixed RUP		5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300	6 400	6 500
		A	55	55	55	55	53	53	53	53	53	53	53	53
		L1	4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000
		L2	930	1 030	1 130	1 230	930	1 030	1 130	1 230	1 330	980	1 080	1 180
		H	275	275	275	275	275	275	275	275	275	275	275	275
		Kg	2 550	2 560	2 560	2 560	2 600	2 620	2 620	2 620	2 740	2 750	2 750	2 760
		Bar	290	290	290	290	320	320	320	320	320	340	340	340

For GVW from 26 to 32 T			SL61	SL62	SL63	SL64	SL65	SL66	SL67	SL68
	Mini		5 200	5 200	5 200	5 600	5 600	5 600	5 600	5 600
	Maxi	LG	7 200	7 400	7 500	7 600	7 700	7 800	7 900	8 000
	Fixed RUP		6 600	6 700	6 800	6 900	7 000	7 100	7 200	7 300
		A	53	53	53	52	52	52	52	52
		L1	6 100	6 200	6 300	6 400	6 500	6 600	6 700	6 800
		L2	1 280	1 380	1 480	1 130	1 230	1 330	1 430	1 530
		H	275	275	275	275	275	275	275	275
		Kg	2 790	2 820	2 850	2 880	2 910	2 940	2 970	3 000
		Bar	340	340	340	340	340	340	350	350



AMPLIROLL® HIGH

AL26PA

LIFTING CAPACITY 26T

AMPLI'DRIVE PACKS

START

OPTI

PRO



S
GENERATION

For GVW from 26 to 32 T			S49	S50	S51	S52	S53	S54	S55	S56	S57	S58	S59	S60
	Mini	LG	3 700	3 700	3 700	3 700	4 100	4 100	4 100	4 100	4 100	4 600	4 600	4 600
	Maxi		6 100	6 200	6 300	6 400	6 500	6 600	6 700	6 800	6 900	7 000	7 100	7 200
	Fixed RUP		5 400	5 500	5 600	5 700	5 800	5 900	6 000	6 100	6 200	6 300	6 400	6 500
	A	L1	55	55	55	55	53	53	53	53	53	53	53	53
	L1		4 900	5 000	5 100	5 200	5 300	5 400	5 500	5 600	5 700	5 800	5 900	6 000
	L2		505	605	705	805	505	605	705	805	905	505	605	705
	L3	L2	1 505	1 605	1 705	1 805	1 505	1 605	1 705	1 805	1 905	1 505	1 605	1 705
	H		275	275	275	275	275	275	275	275	275	275	275	275
	Kg		2 740	2 750	2 750	2 750	2 790	2 810	2 810	2 810	2 930	2 940	2 940	2 950
	Bar	L3	315	315	315	315	350	350	350	350	350	350	350	350

For GVW from 26 to 32 T			SL61	SL62	SL63	SL64	SL65	SL66	SL67	SL68
	Mini	LG	4 600	4 600	4 600	5 000	5 000	5 000	5 000	5 000
	Maxi		7 300	7 400	7 500	7 600	7 700	7 800	7 900	8 000
	Fixed RUP		6 600	6 700	6 800	6 900	7 000	7 100	7 200	7 300
	A	L1	53	53	53	52	52	52	52	52
	L1		6 100	6 200	6 300	6 400	6 500	6 600	6 700	6 800
	L2		805	905	1 005	705	805	905	1 005	1 105
	L3	L2	1 805	1 905	2 005	1 705	1 805	1 905	2 005	2 105
	H		275	275	275	275	275	275	275	275
	Kg		2 980	3 010	3 040	3 070	3 100	3 130	3 160	3 190
	Bar	L3	350	350	350	350	350	350	350	350




Table legend on page 2

AMPLIROLL® HIGH


AL18LP

LIFTING CAPACITY 18T

AMPLI'DRIVE PACK



46-47



LP
RANGE

For GVW 26 T			S49	S51	S52	S53	S55	S56	S57	S58	S59	S61
	Mini	LG	4 300	4 300	4 500	4 500	4 700	4 900	4 900	5 000	5 000	5 000
	Maxi		6 100	6 300	6 400	6 500	6 700	6 800	6 900	7 000	7 100	7 300
	Fixed RUP		5 300	5 500	5 600	5 700	5 900	6 000	6 100	6 200	6 300	6 500
		A	59	59	57	57	57	56	56	56	56	56
		L1	4 900	5 100	5 200	5 300	5 500	5 600	5 700	5 800	5 900	6 100
		L2	930	1 130	1 030	1 130	1 130	1 030	1 130	1 130	1 230	1 430
		H	195	195	195	195	195	195	195	195	195	195
		Kg	2 127	2 157	2 204	2 219	2 270	2 318	2 333	2 370	2 390	2 420
		Bar	290	290	280	280	320	320	320	340	340	340





Table legend on page 2

AMPLIROLL® HIGH


AL18LP-PA

LIFTING CAPACITY 18T

AMPLI'DRIVE PACK



For GVW from 26 T			S49	S51	S52	S53	S55	S56	S57	S58	S59	S61
	Mini		3 600	3 800	4 000	4 000	3 900	4 100	4 100	4 300	4 300	4 500
	Maxi	LG	6 100	6 300	6 400	6 500	6 700	6 800	6 900	7 000	7 100	7 300
	Fixed RUP		5 300	5 500	5 600	5 700	5 900	6 000	6 100	6 200	6 300	6 500
		A	59	59	57	57	57	56	56	56	56	56
		L1	4 900	5 100	5 200	5 300	5 500	5 600	5 700	5 800	5 900	6 100
		L2	1 000	1 000	900	1 000	1 125	1 025	1 125	1 025	1 125	1 125
		L3	1 625	1 625	1 525	1 625	1 885	1 785	1 885	1 785	1 885	1 885
		H	195	195	195	195	195	195	195	195	195	195
		Kg	2 317	2 347	2 394	2 409	2 460	2 508	2 523	2 560	2 580	2 610
		Bar	280	300	290	290	320	320	320	340	340	350



AMPLIROLL® HIGH

AL20LP

LIFTING CAPACITY 20T

AMPLI'DRIVE PACK




50-51



LP
RANGE

For GVW from 26 T			S49	S51	S52	S53	S55	S56	S57	S58	S59	S61
	Mini	LG	4 300	4 300	4 500	4 500	4 700	4 900	4 900	5 000	5 000	5 000
	Maxi		6 100	6 300	6 400	6 500	6 700	6 800	6 900	7 000	7 100	7 300
	Fixed RUP		5 300	5 500	5 600	5 700	5 900	6 000	6 100	6 200	6 300	6 500
		A	59	59	57	57	57	56	56	56	56	56
		L1	4 900	5 100	5 200	5 300	5 500	5 600	5 700	5 800	5 900	6 100
		L2	930	1 130	1 030	1 130	1 130	1 030	1 130	1 130	1 230	1 430
		H	195	195	195	195	195	195	195	195	195	195
		Kg	2 167	2 197	2 244	2 259	2 310	2 358	2 373	2 410	2 430	2 460
		Bar	280	280	280	280	315	315	315	330	330	330

Table legend on page 2



AMPLIROLL® HIGH
Telescopic jib

AL20LP-PA

LIFTING CAPACITY 20T

AMPLI'DRIVE PACK



LP
RANGE

For GVW from 26 T			S49	S51	S52	S53	S55	S56	S57	S58	S59	S61
	Mini	LG	3 600	3 800	4 000	4 000	3 900	4 100	4 100	4 300	4 300	4 500
	Maxi		6 100	6 300	6 400	6 500	6 700	6 800	6 900	7 000	7 100	7 300
	Fixed RUP		5 300	5 500	5 600	5 700	5 900	6 000	6 100	6 200	6 300	6 500
		A	59	59	57	57	57	56	56	56	56	56
		L1	4 900	5 100	5 200	5 300	5 500	5 600	5 700	5 800	5 900	6 100
		L2	1 000	1 000	900	1 000	1 125	1 025	1 125	1 025	1 125	1 125
		L3	1 625	1 625	1 525	1 625	1 885	1 785	1 885	1 785	1 885	1 885
		H	195	195	195	195	195	195	195	195	195	195
		Kg	2 357	2 387	2 434	2 449	2 500	2 548	2 563	2 600	2 620	2 650
		Bar	270	290	280	280	315	315	315	330	330	350





Table legend on page 2

AMPLIROLL® HIGH

AL22LP

LIFTING CAPACITY 22T

AMPLI'DRIVE PACK



LP
RANGE

For GVW from 26 T			S49	S51	S52	S53	S55	S56	S57	S58	S59	S61
	Mini	LG	4 300	4 300	4 500	4 500	4 700	4 900	4 900	5 000	5 000	5 000
	Maxi		6 100	6 300	6 400	6 500	6 700	6 800	6 900	7 000	7 100	7 300
	Fixed RUP		5 300	5 500	5 600	5 700	5 900	6 000	6 100	6 200	6 300	6 500
		A	59	59	57	57	57	56	56	56	56	56
		L1	4 900	5 100	5 200	5 300	5 500	5 600	5 700	5 800	5 900	6 100
		L2	930	1 130	1 030	1 130	1 130	1 030	1 130	1 130	1 230	1 430
		H	195	195	195	195	195	195	195	195	195	195
		Kg	2 167	2 197	2 244	2 259	2 310	2 358	2 373	2 410	2 430	2 460
		Bar	300	300	290	290	335	335	335	350	350	350





Table legend on page 2

AL22LP-PA

LIFTING CAPACITY 22T

AMPLI'DRIVE PACK



LP
RANGE

For GVW from 26 T			S49	S51	S52	S53	S55	S56	S57	S58	S59	S61
	Mini		3 600	3 800	4 000	4 000	3 900	4 100	4 100	4 300	4 300	4 500
	Maxi	LG	6 100	6 300	6 400	6 500	6 700	6 800	6 900	7 000	7 100	7 300
	Fixed RUP		5 300	5 500	5 600	5 700	5 900	6 000	6 100	6 200	6 300	6 500
		A	59	59	57	57	57	56	56	56	56	56
		L1	4 900	5 100	5 200	5 300	5 500	5 600	5 700	5 800	5 900	6 100
		L2	1 000	1 000	900	1 000	1 125	1 025	1 125	1 025	1 125	1 125
		L3	1 625	1 625	1 525	1 625	1 885	1 785	1 885	1 785	1 885	1 885
		H	195	195	195	195	195	195	195	195	195	195
		Kg	2 357	2 387	2 434	2 449	2 500	2 548	2 563	2 600	2 620	2 650
		Bar	290	310	300	300	335	335	335	350	350	370




Table legend on page 2

AMPLIROLL® HIGH


AL24LP

LIFTING CAPACITY 24T

AMPLI^{DRIVE} PACK



58-59



LP
RANGE

For GVW from 26 T			S49	S51	S52	S53	S55	S56	S57	S58	S59	S61
	Mini		4 300	4 300	4 500	4 500	4 700	4 900	4 900	5 000	5 000	5 000
	Maxi	LG	6 100	6 300	6 400	6 500	6 700	6 800	6 900	7 000	7 100	7 300
	Fixed RUP		5 300	5 500	5 600	5 700	5 900	6 000	6 100	6 200	6 300	6 500
		A	59	59	57	57	57	56	56	56	56	56
		L1	4 900	5 100	5 200	5 300	5 500	5 600	5 700	5 800	5 900	6 100
		L2	930	1 130	1 030	1 130	1 130	1 030	1 130	1 130	1 230	1 430
		H	195	195	195	195	195	195	195	195	195	195
		Kg	2 278	2 298	2 350	2 365	2 425	2 477	2 492	2 530	2 550	2 580
		Bar	290	290	290	290	325	325	325	340	340	340





Table legend on page 2

AL24LP-PA


LIFTING CAPACITY 24T

AMPLI'DRIVE PACK



LP
RANGE


For GVW from 26 T			S49	S51	S52	S53	S55	S56	S57	S58	S59	S61
	Mini		3 600	3 800	4 000	4 000	3 900	4 100	4 100	4 300	4 300	4 500
	Maxi	LG	6 100	6 300	6 400	6 500	6 700	6 800	6 900	7 000	7 100	7 300
	Fixed RUP		5 300	5 500	5 600	5 700	5 900	6 000	6 100	6 200	6 300	6 500
		A	59	59	57	57	57	56	56	56	56	56
		L1	4 900	5 100	5 200	5 300	5 500	5 600	5 700	5 800	5 900	6 100
		L2	1 000	1 000	900	1 000	1 125	1 025	1 125	1 025	1 125	1 125
		L3	1 625	1 625	1 525	1 625	1 885	1 785	1 885	1 785	1 885	1 885
		H	195	195	195	195	195	195	195	195	195	195
		Kg	2 488	2 508	2 560	2 575	2 635	2 687	2 702	2 740	2 760	2 790
		Bar	280	290	290	290	325	325	325	340	340	350



AMPLIROLL® HIGH

ALBA20

LIFTING CAPACITY 20T



For GVW from 26 T			A50	A53	A56
	Mini		5 300	5 600	5 900
	Maxi	LG	6 200	6 600	6 900
	Fixed RUP		5 400	5 700	6 000
	A		47	47	50
	L1		4 950	5 250	5 550
	H		280	280	280
	Kg		2 330	2 400	2 500
	Bar		280	300	320




Table legend on page 2



ALBA20PA

LIFTING CAPACITY 20T



For GVW from 26 T			A50	A53	A56
	Mini		4 200	4 500	4 800
	Maxi	LG	6 200	6 600	6 900
	Fixed RUP		5 400	5 700	6 000
		A	47	47	50
		L1	4 950	5 250	5 550
		L2	1 065	1 065	1 065
		H	280	280	280
		Kg	2 520	2 570	2 670
		Bar	220	300	320




Table legend on page 2



NOTES

Lined area for notes.



Find out more about our solutions & expertise

MARREL.COM

42 avenue de Saint-Étienne
42161 Andrézieux-Bouthéon Cedex
FRANCE
+33 (0)4 77 36 28 28



MARREL

FOREVER HIGHER SINCE 1919

A FASSI GROUP COMPANY



This paper comes from sustainably managed forests and controlled sources.